



# TRAILER ORDER FORM

Customer Info:

55 Maxwell Pl  
 Newnan, GA 30265  
 404-793-3233

www.customaircrafttrailers.com

Quantity	Description
	<b>STRUCTURE</b>
1	<b>102"W x 7"H x 16'L Soft V Nose Enclosed Aircraft Trailer</b> (98"W x 79"H Door Opening) (Includes: 7 Way Electrical Plug, 205/15 Radial Tires, 3500# Tandem Torsion Axles, Winch Operated Ramp Door w/ Bar Locks, 32" Side Door, 5 Floor Mount D-rings, 2000# Manual Tongue Jack, 2 Way Aluminum Sidewall Vent, 12V Tongue Light, (4)12V Interior Lights, Back Up Reverse Lights, LED Tail Lights, Exterior Airport Tie Downs, .030 Gauge Semi-Screwed Aluminum Exterior, 24" Stone Guard on Nose, 16" O.C Walls and X Members, Stable Decking Walls and Floor.
	110" W (105" Door Opening) <b>*Add Walk on Roof*</b>
	18' L
	20' L
	22' L
	24' L
	26' L
	28' L
	30' L
	7'6" Interior Height (7'1" Rear Door Opening)
	8'0" Interior Height (7'7" Rear Door Opening)
	8'6" Interior Height (8'1" Rear Door Opening)
	9'0" Interior Height (8'7" Rear Door Opening)
	9'6" Interior Height (9'1" Rear Door Opening)
	10'0" Interior Height (9'7" Rear Door Opening) w/ 1x3 11G Bracing and Gussets
	6" EXTRA Tongue
	12" EXTRA Tongue
	18" EXTRA Tongue
	24" EXTRA Tongue
	36" EXTRA Tongue
	Expanded Metal Platform
	ATP Generator Platform
	<b>TIE DOWN &amp; STABILIZER</b>

Quantity	Description
	JACKS - Caster Wheel
	JACKS- UPGRADE - 12V Electric Tongue Jack + Battery Box
	Aluminum Access Ladder
	Subfloor Winch Plate
	COUPLER - Ram Coupler -2 5/16
	STABILIZER - D-Rings - Floor Mount (5 Included)
	STABILIZER - Buggy Wheels
	STABILIZER - 1 Row E-track <b>Floor/Wall</b> - Welded (Flush)
	<b>TIRE/WHEEL/AXLE</b>
	<b>Note:</b> (3500# - 205/15) (5200# - 225/15)
	AXLE - UPGRADE - 3500# Torsion to 5200# Torsion ( <b>Standard on 24' and 26' Trailers</b> )
	TIRE - SPARE - White/Silver/Black Wheel
	TIRE - UPGRADE - Spider Mag Wheels
	TIRE - SPARE - Spider Mag Wheel
	TIRE MOUNT - Spare Tire Compartment in Floor (Must have 6" frame) <b>*Add Spare Tire*</b>
	TIRE MOUNT - Spare Tire Mount - Interior <b>*Add Spare Tire*</b>
	<b>EXTERIOR</b>
	METAL - .030 Gauge - All Colors
	METAL - UPGRADE - .040 Gauge - White or Black
	METAL - UPGRADE - .050 Gauge - White or Black
	METAL - UPGRADE - .080 Gauge Composite - White/Black/Specialty Color
	METAL - UPGRADE - Black out Package
	ROOF - UPGRADE - Walk On Roof - 16 O.C. <b>*Must add to wider Trailers)*</b>
	SIDES & REAR - UPGRADE - ANODIZED - 24"
	SIDES & REAR - UPGRADE - ATP - 24"
	SIDES & REAR - UPGRADE - BLACK ATP - 24"
	EXTERIOR - Rear Spoiler w/ 12" Scene Lights (12v)
	Observation Deck - Railings + access ladder
	<b>DOOR/WINDOW</b>
	DOOR - Add 32" Side Door w/ Flush Mount Lock
	DOOR - Ramp Door Flap
	DOOR - Slide out Step
	DOOR - Transitional Flap

Quantity	Description
	DOOR - UPGRADE - 32" to 36" Side Door w/ Flush Mount Lock
	DOOR - UPGRADE - 36" to 48" Side Door w/ Flush Mount Lock
	DOOR - UPGRADE - 32" to 48" Side Door w/ Flush Mount Lock
	DOOR - Bar Lock for Side Door
	WINDOW - 15" x 18" Vertical
	WINDOW - 15" x 18" Window in Door
	WINDOW - 18" x 15" Horizontal
	WINDOW - 30" x 15"
	WINDOW - 30" x 30"
	WINDOW - 30" x 30" Egress
	<b>VENT/AC</b>
	A/C - 15,000 BTU w/ heat strip, Brace, and Wired for A/C
	Thermostat on Wall for A/C
	VENT - Roof Vent - Non Powered Roof Vent - White/ Black w/o Cover
	VENT - Roof Vent - Max Air Roof Vent Cover
	VENT - Roof Vent - 12V Roof Vent Fan with remote
	VENT - Additional Aluminum Sidewall Vents
	<b>INTERIOR</b>
	CEILING - Raw Luan Wood Ceiling
	CEILING - Metal Ceiling
	WALL - Raw Luan Wood Wall
	WALL - Metal Walls
	INSULATION - Bead Board Wall
	INSULATION - Bead Board Roof/w Raw Luan Wood
	INSULATION - Bead Board Floor w/ Galvalume Metal Under
	FLOOR - RTP Floor
	FLOOR - ATP Floor
	<b>ELECTRICAL</b>
	LIGHT - Orange Marker Lights
<b>4</b>	LIGHT - 12V Interior Light w/ switch (4 Included)
	LIGHT - 12V Porch Light w/Switch
	LIGHT - 4' 110V LED Lights
	LIGHT - LED Load Light

Quantity	Description
	MOTOR BASE - 30-amp Motor Base Plug and Cord with Both Ends
	MOTOR BASE - 50-amp Motor Base Plug and Cord with Both Ends
	RECEPTACLES - 110V Interior Receptacles
	RECEPTACLES - 110V GFI Receptacles
	30-amp ELECTRICAL PKG - (2) 4' LED's, (2) 110V Receptacles, (1) Switch, Panel Box, w/ Converter
	50-amp ELECTRICAL PKG - (2) 4' LED's, (2) 110V Receptacles, (1) Switch, Panel Box, w/ Converter
	<b>AWNINGS</b>
	LIGHT - 12" 12V Awning Light
	LIGHT - 24" 12V Awning Light
	AWNING - 16' 18V Power Awning
	AWNING - 18' 18V Power Awning
	AWNING - 20' 18V Power Awning
	AWNING - 22' 18V Power Awning with Center Support
	Color Options- Solid Black, Black fade to White -Grey tube, White fade to Black -Black tube